

Date: April 2022

Created by: The Research department at Plastic Soup Foundation

THE FORGOTTEN SYNTHETIC POLYMERS AND THEIR ENVIRONMENTAL AND HUMAN HEALTH CONCERNS

A perspective-review on water-soluble, liquid, semi-solid & biodegradable polymers and engineered nanoplastics

The scientific community's and the public's attention towards environmental contamination by synthetic polymers has increased substantially over the past decade¹⁻³. Great effort has gone into investigating the extent of the pollution through data collection and the development of analytical tools. As a result of these efforts, we now know that plastic pollution stretches from the Himalayas⁴ to the deepest ocean trenches⁵, to our homes⁶. Most of this research has focussed on water-insoluble polymers, in the macro- and micro-size ranges. Currently, various legislative developments to reduce plastic pollution are underway at the European level. For example, the Single-Use Plastic (SUP) directive aims to reduce the use of certain plastic products⁷, and the European Chemicals Agency (ECHA) has proposed a restriction on intentionally added microplastics (>100 nm) in among others agricultural products, detergents and cosmetics⁸. An EU-wide restriction of microplastics is considered justified due to concerns similar to those of persistent, bioaccumulative and toxic (PBT) substances⁸. Some groups of synthetic polymers have however been exempted in this restriction proposal, even though PBT concerns and similar hazards can exist for these polymers too. With this statement we address the most relevant and pressing concerns for these exempted synthetic polymers and stress the need for hazard assessments to identify hazardous polymers within these groups. Whilst knowledge gaps concerning PBT characteristics of synthetic polymers still exist, we argue that the precautionary principle should apply.

Water-soluble, liquid and semi-solid polymers

Water-soluble polymers

Synthetic water-soluble polymers (WSPs) are “substances that dissolve, disperse or swell in water and, thus, modify the physical properties of aqueous systems in the form of gelation, thickening or emulsification/stabilization”⁹. Annual production volumes of major WSPs such as polyethylene glycol (PEG) and polyacrylic acid (PAA) are estimated in the millions of tons range in Europe alone¹⁰. Many WSP applications in, for example, paints, building materials, agricultural products, personal care products, pharmaceuticals and oil & gas extraction¹¹ enable direct or indirect discharge into the environment (see references within¹⁰). This combination results in a high potential for the increasing presence of WSPs in the environment. Scientific studies indicate that concerns regarding persistency and toxicity that exist for insoluble polymers are also true for some WSPs. Some WSPs are very resistant to degradation and therefore persistent in the environment¹²⁻¹⁴, which in itself is a cause of concern. With the continuous release of a persistent substance, environmental concentrations will inevitably increase, as will the probability of adverse effects. Once adverse effects are observed, reversing contamination could take centuries, or even longer^{3,15}. Moreover, as WSPs are considered desirable for a wide range of applications, for example as soil conditioners or flocculent agents in wastewater treatment (e.g., polyacrylamide), they may act as such flocculants and soil conditioners

in areas they were not intended for. When present in the environment in sufficiently high concentrations, this could potentially lead to long-lasting changes to natural ecological processes¹⁶.

Other WSPs are more prone to degradation and will degrade into various transformation products (e.g., smaller and more mobile polymers, oligomers, monomers and other chemical by-products)¹⁶, which may exhibit persistent and toxic characteristics¹⁷. Polyacrylamide (PAM) is a prominent example of this as its monomer acrylamide is a known neurotoxin and potential carcinogen^{10,11} and has been included in the 'Substances of Very High Concern' candidate list¹⁸. The bioavailability of WSPs seems to be of less concern as WSPs themselves are often too large to cross biological cell membranes^{11,13}, however, their transformation products may behave very differently¹¹.

WSPs can enter drinking and waste-water treatment plants and are often deliberately added to these plants to flocculate colloids and organic matter to a WSP-rich sludge. WSPs that do not end up in the sludge, and potentially in soils later as fertilizers, will then enter drinking water or surface waters. The extent of WSPs and degradation products that are present or accumulating in drinking water, surface water, sediments or soils is not investigated due to lacking analytical tools. Therefore, despite increasing exposure to WSPs, the environmental and health risks resulting from them remains highly uncertain^{10,17}.

Liquid and semi-solid polymers

Some synthetic polymers are used in a liquid or semi-solid phase when being applied in products. Depending on their molecular structure, these polymers can be water soluble -- for example polyethylene glycol (PEG) -- and readily dispersed in water. They can also form insoluble droplets, such as polydimethylsiloxane (PDMS) oils, also called dimethicone oils^{19,20}. The phase of a polymer depends not only on the monomers that make up the (co)polymer but also on properties like chain length, degree of crosslinking and molecular weight. For instance, the longer the chain length of the dimethicone, the larger the viscosity, and the higher the melting point. Therefore, dimethicones can span from liquids to semi-solids to amorphous, rubbery solids. Lastly, the ratio of different monomers in copolymer material can also determine the phase of the polymer²¹. The use of liquid and semi-solid polymers is widespread; every year 23,700 tonnes of soluble, semi-solid and liquid polymers are used in cosmetic products in Germany alone, compared to 922 tonnes of solid synthetic polymers (<5 mm). Many of these soluble, liquid and semi-solid polymers are released into the wastewater²². An example of a liquid polymer of concern and commonly used in personal care products is dimethicone. Dimethicone meets the persistent criteria as described in REACH legislation, has been identified as a CMR (carcinogenic/mutagenic/reprotoxic) substance and exhibits endocrine disrupting properties²³. Moreover, some dimethicones have been identified as a potential risk to the environment^{20,23}. Thus, liquid or semi-solid polymers should not be presumed to be benign, as they can be of environmental concern as well.

Engineered nanoplastics

Though some debate exists about the exact cut-off between a microplastic and nanoplastic, nanoplastics are often defined as 1 to < 100 nanometres^{8,24}. Plastics of 100 to <1000 nm can be referred to as submicron plastics and plastics > 1000 nm can be referred to as microplastics²⁴. Engineered nanoplastics (ENPs) are nanoplastics that are deliberately produced at the nanoscale to allow for specific product characteristics. While not all applications of engineered nanoplastics or plastic nanomaterials will facilitate discharge into the environment (e.g., medical devices), others will. In cosmetic products for example, these engineered nanoplastics can be as small as 10

nanometres and can be directly or indirectly emitted into the environment via wastewater²¹. Secondary nanoplastics which have fragmented from larger plastic objects are another source of environmental pollution²⁵. Substantial knowledge gaps about the presence of nanoplastics in the environment, however, still exist, particularly because analytical tools to detect these particles in environmental matrices are still in the development phase^{25,26}. Concerns have been expressed by the scientific community with regards to the environmental and human health hazards of nanoplastics^{26,27}. These hazards are related to the physical *and* chemical characteristics of nanoplastics and are outlined below.

Hazardous chemicals

Environmental contaminants are known to be absorbed into the surface of plastic (references in²). Nanoplastics have a large surface-volume ratio and the resulting high surface area allows for greater chemical reactivity and sorption²⁶. Organisms can thus be exposed to hazardous chemicals after the ingestion or inhalation of plastic particles.

Moreover, plastics contain a complex mixture of chemicals including additives (e.g., plasticizers, flame retardants), starting materials and side products from processing. When plastics are ingested or inhaled, these chemicals can migrate from the plastic into the exposed organism. A continuously growing body of scientific evidence has demonstrated that plastic chemicals can result in a wide range of adverse health effects^{28,29}. The role of (engineered and secondary) nanoplastics in mediating chemical effects has, however, been insufficiently investigated.

Bioavailability and translocation

Experimental studies with nanoplastics have demonstrated that these particles are taken up via inhalation or ingestion by different organisms, for example rats^{30,31} and scallop³². Uptake in plants via their roots has been demonstrated for plastic particles in the micrometer, submicron and nanometer-size ranges^{33–35}. Animal studies have shown that plastics can pass barriers present in the gut³¹, lung³⁶, placenta³⁷ and brain³⁸, a process referred to as ‘translocation’. Translocation of nanoplastics and small microplastics (< 10 micrometer) across important human barriers such as the gut^{39,40}, lung⁴⁰, placenta⁴¹ and brain (personal communication R. Westerink) has also been demonstrated in human cell models. It has moreover been shown that smaller particles more easily translocate than larger particles^{32,37,42}. Consequently, nanoplastics have a higher potential to penetrate tissues and reach organs compared to larger plastic particles^{31,43,44}.

Particle toxicity

While a material may be chemically inert, the particle itself may exert toxicity. An example of this is black carbon, where exposure to the particle has been linked to the development of lung diseases including cancer⁴⁵. Particle toxicity has also been demonstrated for small plastic particles and includes immune responses, inflammation, DNA damage (see references in^{46,47}) cellular damage^{46,48} and behavioural changes^{38,49} among others. In humans, exposure to micro- and nanoplastics can induce oxidative stress and an increased vulnerability to develop neuronal disorders⁵⁰. Moreover, interstitial lung disease has been demonstrated for workers processing nylon and other synthetic fibres, indicating a link between plastic fibrous dust inhalation and respiratory problems^{51–53}. Lastly, plastic is a constituent of airborne particulate matter^{47,54} and air pollution is estimated to cause 4.2 million deaths annually⁵⁵. This, along with understanding of the particle toxicity of plastics has led to the hypothesis that plastic particles may in part be responsible for these deaths⁵⁶.

Many features of plastics such as size, shape and chemical make-up ultimately determine the extent of particle toxicity. It has, for example, been suggested that toxicity increases with decreasing particle size^{44,57}. However, what features of plastic contribute most to particle toxicity remains to be further investigated.

Biodegradable polymers

A relatively new group of polymers are biodegradable polymers. Biodegradable plastics are designed for conversion into CO₂, methane, biomass and mineral salts by the action of microorganisms (a process called mineralization) under specified conditions. The speed and degree of biodegradation in the environment, however, is largely dependent on the prevailing conditions (e.g., temperature, humidity)⁵⁸ and polymer fragments may therefore remain in certain environments over long time scales. Biodegradable plastics can be made from renewable feedstocks (bio-based) or fossil fuels⁵⁹, and should not be confused with bio-based plastics or compostable plastics. Bio-based plastics are derived from biological raw materials and can, but do not necessarily have biodegradable properties. Compostable polymers biodegrade according to defined standards yet require very specific conditions present in industrial composting facilities. Though developed as an “environmentally-friendly” alternative to conventional plastics, various questions regarding the persistency and toxicity of biodegradable polymers remain.

Standards for assessing the biodegradability of plastics

Various standardized laboratory tests have been developed to assess the biodegradation of plastics in different environmental compartments, for example in water⁶⁰, aquatic sediments⁶¹ or soil⁶². Depending on the plastic application, different tests have been approved by ECHA. For engineered microplastics, a tiered approach is used, distinguishing between a ‘screening tier’ and a ‘higher tier’ assessment⁸. The latter is only required when a plastic fails to meet any biodegradability criteria of the screening tier. Biodegradability criteria differ between tests, yet all require partial mineralization within a specified time frame, and most of these tests are conducted at average temperatures of at least 20 °C and in oxygen rich conditions. While these experimental conditions may be useful for determining the maximum degree of biodegradability, they poorly reflect relevant environmental conditions such as colder climates and low oxygen availability. In those conditions, microbial activity may be much lower and hence biodegradation rates are also lower^{58,63}. Consequently, these plastics can still be persistent in the environment. In addition, any standardized lab test will always present an oversimplification of real-world conditions and many variables affecting biodegradation rates such as nutrient availability or weather conditions are not included in the approved tests. While it is applaudable that standards are available, the current standards are not rigorous enough and it has been argued that degradation under actual field conditions should be studied^{58,64}. By comparing results from field studies to the standardized test results, the standard can be calibrated.

Toxicity of biodegradable polymers

Apart from limited understanding of the real-world biodegradation of these materials, concerns also exist with regard to the presence of hazardous chemicals. Chemicals used in biodegradable plastics can have similar toxicity to conventional plastics^{65,66}, showing that “bio-based and biodegradable material, despite being marketed as better alternatives, is not necessarily safer than conventional plastics”⁶⁶. Chemicals and micro-sized particles of biodegradable materials have been shown to adversely affect marine⁶⁷ and freshwater organisms⁶⁸, crop growth⁶⁹ and soil quality⁷⁰ as well as bacteria⁷¹, among others.

Precautionary principle

With their restriction proposal, ECHA aims to address the environmental and human health risks posed by microplastics⁸. By including only solid, non-biodegradable plastics between 5 nm and 100 nm we argue that ECHA is overlooking other potential sources of plastic pollution. As outlined above, the presence of WSPs in the environment is expected based on their production volumes and high potential for environmental discharge. The understanding of their distribution, concentrations, and impact is unfortunately still highly uncertain, in part due to the lack of suitable analytical methods to investigate them. Moreover, little is known about the transformation products of many WSPs, and their persistency and toxicity. With regards to liquid and semi-solid polymers, the example of demethicone illustrates that these polymers can be of environmental concern as well. Regarding engineered nanoplastics, such as those applied in personal care products, these can cross biological barriers and exert toxic effects. Moreover, little is known about the environmental behaviour (e.g., stability), fate and health risks of the new generation of nanoplastic materials (plastics with nano-scale additives that give the material extra properties), a currently booming industry. ECHA justifies the lower limit of 100 nm by arguing that a lower size limit (of 1 nm) cannot be enforced. However, an interdisciplinary group of scientists recently argued that this claim is invalid and that “intentionally added plastic particles in the nano-range (<100 nm) could be reintroduced into the restriction proposal”⁷². With respect to biodegradable polymers, real-world conditions are poorly reflected in current standardized biodegradation tests and various concerns about their toxicity exist.

While not all synthetic polymers within the discussed groups may be harmful to environmental and human health, too many knowledge gaps currently exist to determine which ones pose a risk, and which ones do not. Future research and hazard assessments will hopefully provide new insights and identify sub-groups requiring strong regulation. Until that time, we call upon policymakers to adopt the precautionary principle for all synthetic polymers and encourage them to consider the hazards these materials pose when developing new regulatory measures. In the case of ECHA’s restriction proposal, the exemption of above-mentioned groups is particularly unjustified for applications for which ample non-synthetic polymer alternatives already exist (e.g., personal care products). Additionally, regulations can be introduced that will require more short-term and long-term hazard toxicity testing before authorizing synthetic polymers to be placed on the market at certain volumes. One avenue for this would be to include the registration of polymers under REACH^{72,73}. Moreover, we call upon industry to move away from these potentially “regrettable substitutions” that are currently not covered by planned regulations. We furthermore encourage industry to seek materials and substances for which safety has been established. Lastly, we call upon the scientific community to focus their efforts on filling the knowledge gaps presented here.

Signatories

The signatories below have signed in their personal capacity as independent scientific experts and are not representing the views or endorsement by their home institutions.

Dick Vethaak, PhD, Professor of Ecotoxicology, Deltares, the Netherlands

Hans Peter Arp, PhD, Professor, Department of Chemistry, Norwegian University of Science and Technology (NTNU), Norwegian Geotechnical Institute (NGI), Norway

Thomas Knepper, PhD, Professor, University of Applied Science Fresenius, Germany

Lisa Zimmerman, PhD, Scientific Communication Officer, Food Packaging Forum Foundation, Zurich, Switzerland

Jane Muncke, PhD, Chief Scientific Officer, Food Packaging Forum Foundation, Zurich, Switzerland

This statement continues to be open for signatories. This document will be updated with additional signatures at a later date.

References

1. Triebkorn, R. *et al.* Relevance of nano- and microplastics for freshwater ecosystems: a critical review. *TrAC Trends in Analytical Chemistry* **110**, (2018).
2. Barboza, L. G. A., Dick Vethaak, A., Lavorante, B. R. B. O., Lundebye, A. K. & Guilhermino, L. Marine microplastic debris: An emerging issue for food security, food safety and human health. *Marine Pollution Bulletin* **133**, 336–348 (2018).
3. Macleod, M., Peter, H., Arp, H., Tekman, M. B. & Jahnke, A. The global threat from plastic pollution. *Science* **373**, 61–65 (2021).
4. Neelavannan, K., Sen, I. S., Lone, A. M. & Gopinath, K. Microplastics in the high-altitude Himalayas: Assessment of microplastic contamination in freshwater lake sediments, Northwest Himalaya (India). *Chemosphere* **290**, (2022).
5. Chiba, S. *et al.* Human footprint in the abyss: 30 year records of deep-sea plastic debris. *Marine Policy* (2018).
6. Dris, R. *et al.* A first overview of textile fibers, including microplastics, in indoor and outdoor environments. *Environmental Pollution* **221**, 453–458 (2017).
7. Plastic Soup Foundation. SUP Directive Products. <https://www.plasticsoupfoundation.org/en/single-use-plastics-directive/what-products-are-in-the-sup-directive/>.
8. European Chemicals Agency. Annex XV Restriction Report. Proposal for a Restriction. (2019).
9. Kadajji, V. G. & Betageri, G. v. Water soluble polymers for pharmaceutical applications. *Polymers* **3**, 1972–2009 (2011).
10. Huppertsberg, S., Zahn, D., Pauelsen, F., Reemtsma, T. & Knepper, T. P. Making waves: Water-soluble polymers in the aquatic environment: An overlooked class of synthetic polymers? *Water Research* **181**, (2020).
11. Xiong, B. *et al.* Polyacrylamide degradation and its implications in environmental systems. *Nature Partner Journals: Clean Water* **17**, (2018).
12. Hennecke, D., Bauer, A., Herrchen, M., Wischerhoff, E. & Gores, F. Cationic polyacrylamide copolymers (PAMs): environmental half life determination in sludge-treated soil. *Environmental Sciences Europe* **30**, (2018).
13. Duis, K., Junker, T. & Coors, A. Environmental fate and effects of water-soluble synthetic organic polymers used in cosmetic products. *Environmental Sciences Europe* **33**, (2021).
14. Jop, K. M., Guiney, P. D., Christensen, K. P. & Silberhorn, E. M. Environmental Fate Assessment of Two Synthetic Polycarboxylate Polymers. *Ecotoxicology and Environmental Safety* **37**, 229–237 (1997).
15. Cousins, I. T., Ng, C. A., Wang, Z. & Scheringer, M. Why is high persistence alone a major cause of concern? *Environmental Science: Processes and Impacts* **21**, 781–792 (2019).
16. Arp, H. P. H. & Knutsen, H. Could We Spare a Moment of the Spotlight for Persistent, Water-Soluble Polymers? *Environmental Science and Technology* **54**, 3–5 (2020).
17. Reemtsma, T. *et al.* Mind the Gap: Persistent and Mobile Organic Compounds - Water Contaminants That Slip Through. *Environmental Science and Technology* **50**, 10308–10315 (2016).
18. European Chemicals Agency. Substance information acrylamide. <https://echa.europa.eu/substance-information/-/substanceinfo/100.001.067>.
19. Heldebrant, D. J. *et al.* Liquid polymers as solvents for catalytic reductions. *Green Chemistry* **8**, 807–815 (2006).
20. Nendza, M. Hazard assessment of silicone oils (polydimethylsiloxanes, PDMS) used in antifouling-/foul-release-products in the marine environment. *Marine Pollution Bulletin* **54**, 1190–1196 (2007).
21. United Nations Environment Programme & Institute for Environmental Studies VU University. Plastics in Cosmetics. Are we polluting the environment through our personal care? (2015).
22. Fraunhofer Institut für Umwelt Sicherheits und Energietechnik Umsicht. Microplastik und Synthetische Polymere in Kosmetikprodukten Sowie Wasch-, Putz- und Reinigungsmitteln. (2018).
23. Dhanirama, D., Gronow, J. & Voulvoulis, N. Cosmetics as a potential source of environmental contamination in the UK. *Environmental Technology (United Kingdom)* **33**, 1597–1608 (2012).
24. Hartmann, N. B. *et al.* Are We Speaking the Same Language? Recommendations for a Definition and Categorization Framework for Plastic Debris. *Environmental Science and Technology* **53**, 1039–1047 (2019).
25. Mitrano, D. M., Wick, P. & Nowack, B. Placing nanoplastics in the context of global plastic pollution. *Nature Nanotechnology* **16**, 491–500 (2021).
26. Stapleton, P. A. Toxicological considerations of nano-sized particles. *AIMS Environmental science* **176**, 100–106 (2019).
27. Mitrano, D. Nanoplastic should be better understood. *Nature Nanotechnology* **14**, 299 (2019).
28. Hahladakis, J. N., Velis, C. A., Weber, R., Iacovidou, E. & Purnell, P. An overview of chemical additives present in plastics: Migration, release, fate and environmental impact during their use, disposal and recycling. *Journal of Hazardous Materials* **344**, 179–199 (2018).

29. Muncke, J. *et al.* Impacts of food contact chemicals on human health: A consensus statement. *Environmental Health* **19**, (2020).
30. Fournier, S. B. *et al.* Nanopolystyrene translocation and fetal deposition after acute lung exposure during late-stage pregnancy. *Particle and Fibre Toxicology* **17**, 1–11 (2020).
31. Walczak, A. P. *et al.* Bioavailability and biodistribution of differently charged polystyrene nanoparticles upon oral exposure in rats. *Journal of Nanoparticle Research* **17**, 1–13 (2015).
32. Al-Sid-Cheikh, M. *et al.* Uptake, whole-body distribution & depuration of nanoplastics by the scallop *Pecten maximus*, at environmentally realistic concentrations. *Environmental Science & Technology* (2018).
33. Li, L. *et al.* Effective uptake of submicrometre plastics by crop plants via a crack-entry mode. *Nature Sustainability* **3**, 929–937 (2020).
34. Liu, Y., Guo, R., Zhang, S., Sun, Y. & Wang, F. Uptake and translocation of nano/microplastics by rice seedlings: Evidence from a hydroponic experiment. *Journal of Hazardous Materials* **421**, (2022).
35. Yin, L. *et al.* Interactions between microplastics/nanoplastics and vascular plants. *Environmental Pollution* **290**, (2021).
36. Fournier, S. *et al.* Nanopolystyrene Translocation and Fetal Deposition After Acute Lung Exposure During Late-Stage Pregnancy. *Particle and Fibre Toxicology* **17**, 1–11 (2020).
37. Huang, J.-P. *et al.* Nanoparticles can cross mouse placenta and induce trophoblast apoptosis. *Placenta* **36**, 1433–1441 (2015).
38. Mattsson, K. *et al.* Brain damage and behavioural disorders in fish induced by plastic nanoparticles delivered through the food chain. *Scientific Reports* **7**, 1–7 (2017).
39. Walczak, A. P. *et al.* Translocation of differently sized and charged polystyrene nanoparticles in in vitro intestinal cell models of increasing complexity. *Nanotoxicology* **9**, 453–461 (2015).
40. Donkers, J. M. *et al.* Advanced epithelial lung and gut barrier models demonstrate passage of microplastic particles. *Microplastics and Nanoplastics* **2**, 6 (2022).
41. Kloet, S. K. *et al.* Translocation of positively and negatively charged polystyrene nanoparticles in an in vitro placental model. *Toxicology in Vitro* **29**, 1701–1710 (2015).
42. Jani, P., Halbert, G. W., Langridge, J. & Florence, A. T. Nanoparticle Uptake by the Rat Gastrointestinal Mucosa: Quantitation and Particle Size Dependency. *Journal of Pharmacy and Pharmacology* **42**, 821–826 (1990).
43. Kashiwada, S. Distribution of nanoparticles in the see-through medaka (*Oryzias latipes*). *Environmental Health Perspectives* **114**, 1697–1702 (2006).
44. Huang, D. *et al.* Microplastics and nanoplastics in the environment: Macroscopic transport and effects on creatures. *Journal of Hazard Materials* **407**, (2021).
45. Lequy, E. *et al.* Contribution of long-term exposure to outdoor black carbon to the carcinogenicity of air pollution: Evidence regarding risk of cancer in the gazel cohort. *Environmental Health Perspectives* **129**, (2021).
46. Wright, S. L. & Kelly, F. J. Plastic and Human Health: A Micro Issue? *Environmental Science and Technology* **51**, 6634–6647 (2017).
47. Vethaak, D. & Legler, J. Microplastics and human health. *Science* **371**, (2021).
48. Schirinzi, G. F. *et al.* Cytotoxic effects of commonly used nanomaterials and microplastics on cerebral and epithelial human cells. *Environmental Research* **159**, 579–587 (2017).
49. Brun, N. R. *et al.* Polystyrene nanoplastics disrupt glucose metabolism and cortisol levels with a possible link to behavioural changes in larval zebrafish. *Communications Biology* **2**, (2019).
50. Prüst, M., Meijer, J. & Westerink, R. H. S. The plastic brain: Neurotoxicity of micro- And nanoplastics. *Particle and Fibre Toxicology* **17**, 1–16 (2020).
51. Kern, D. G., Crausman, R. S., Durand, K. T. H., Nayer, A. & Kuhn, C. Flock worker's lung: Chronic interstitial lung disease in the nylon flocking industry. *Annals of Internal Medicine* **129**, 261–272 (1998).
52. Eschenbacher, W. L. *et al.* Clinical Pathology Workshop Summary Nylon Flock – Associated Interstitial Lung Disease. *American Journal of Respiratory and Critical Care Medicine* **159**, 2003–2008 (1999).
53. Kremer, A. M., Pal, T. M., Boleij, J. S. M., Schouten, J. P. & Rijcken, B. Airway hyperresponsiveness, prevalence of chronic respiratory symptoms, and lung function in workers exposed to irritants. *Occupational and Environmental Medicine* **51**, 3–13 (1994).
54. Kelly, F. J. & Fussell, J. C. Toxicity of airborne particles - established evidence, knowledge gaps and emerging areas of importance: Topical aspects of particle toxicity. *Philosophical Transactions of the Royal Society A* **378**, (2020).
55. World Health Organization. Air pollution. <https://www.who.int/health-topics/air-pollution>.
56. Jan Kole, P., Löhr, A. J., van Belleghem, F. G. A. J. & Ragas, A. M. J. Wear and tear of tyres: A stealthy source of microplastics in the environment. *International Journal of Environmental Research and Public Health* **14**, (2017).

57. Yong, C. Q. Y., Valiyaveetil, S. & Tang, B. L. Toxicity of microplastics and nanoplastics in Mammalian systems. *International Journal of Environmental Research and Public Health* **17**, (2020).
58. Haider, T. P., Völker, C., Kramm, J., Landfester, K. & Wurm, F. R. Plastics of the Future? The Impact of Biodegradable Polymers on the Environment and on Society. *Angewandte Chemie - International Edition* **58**, 50–62 (2019).
59. Sander, M. Biodegradation of Polymeric Mulch Films in Agricultural Soils: Concepts, Knowledge Gaps, and Future Research Directions. *Environmental Science and Technology* **53**, 2304–2315 (2019).
60. International Organization for Standardization. ISO 14852 Determination of the ultimate aerobic biodegradability of plastic materials in an aqueous medium - method by analysis of evolved carbon dioxide. (2018).
61. International Organization for Standardization. ISO 19679 Determination of aerobic biodegradation of non-floating plastic materials in a seawater / sediment interface - Method by analysis of evolved carbon dioxide. (2020).
62. International Organization for Standardization. ISO 17556 Determination of the ultimate aerobic biodegradability of plastic materials in soil by measuring the oxygen demand in a respirometer or the amount of carbon dioxide evolved. (2019).
63. Sintim, H. Y. *et al.* In situ Degradation of Biodegradable Plastic Mulch Films in Compost and Agricultural Soils. *Science of the Total Environment* **727**, (2020).
64. Sintim, H. Y. & Flury, M. Is Biodegradable Plastic Mulch the Solution to Agriculture's Plastic Problem? *Environmental Science and Technology* **51**, 1068–1069 (2017).
65. Zimmermann, L., Dombrowski, A., Völker, C. & Wagner, M. Are bioplastics and plant-based materials safer than conventional plastics? In vitro toxicity and chemical composition. *Environment International* **145**, (2020).
66. Zimmermann, L., Dierkes, G., Ternes, T. A., Völker, C. & Wagner, M. Benchmarking the in vitro toxicity and chemical composition of plastic consumer products. *Environmental Science & Technology* **53**, (2019).
67. Magara, G. *et al.* Effects of combined exposures of fluoranthene and polyethylene or polyhydroxybutyrate microplastics on oxidative stress biomarkers in the blue mussel (*Mytilus edulis*). *Journal of Toxicology and Environmental Health - Part A: Current Issues* **82**, 616–625 (2019).
68. Zimmermann, L., Göttlich, S., Oehlmann, J., Wagner, M. & Völker, C. What are the drivers of microplastic toxicity? Comparing the toxicity of plastic chemicals and particles to *Daphnia magna*. *Environmental Pollution* **267**, (2020).
69. Meng, F., Yang, X., Riksen, M., Xu, M. & Geissen, V. Response of common bean (*Phaseolus vulgaris* L.) growth to soil contaminated with microplastics. *Science of the Total Environment* **755**, 142516 (2021).
70. Qin, M. *et al.* A review of biodegradable plastics to biodegradable microplastics: Another ecological threat to soil environments? *Journal of Cleaner Production* **312**, 127816 (2021).
71. Adhikari, D. *et al.* Degradation of Bioplastics in Soil and Their Degradation Effects on Environmental Microorganisms. *Journal of Agricultural Chemistry and Environment* **05**, 23–34 (2016).
72. Abdolapur Monikh, F. *et al.* Can Current Regulations Account for Intentionally Produced Nanoplastics? *Environmental Science & Technology* (2022).
73. Authored by and signed by members of the scientific community. Statement on the Registration of Polymers under REACH and List of Signatures in Support. <https://www.ipcp.ch/activities/polymer-statment>.